HP LaserJet MFP M443nda



Raising the standard in office printing

Surpass your office printer expectations with the speed, quality, and efficiency of HP LaserJet office printers.





Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies





2-sided printing

A printer to handle your printing volume needs

- Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying.1,2
- Conserve resources with automatic two-sided printing and copying consume up to 50% less paper.
- Capture both sides of the page with ease, using the 100 sheet reversing automatic document feeder.
- Launch tasks at the device streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.

Reliable and productive

- Bring together remote monitoring and shared resources to help optimise your print environment.3
- Identify new devices and \underline{g} ain insight into printing with HP Web Jetadmin remote discovery and monitoring.
- Easily set up, print, and share printing resources with built-in Ethernet networking.

Get great value from your office printer

- Help maximise value and minimise budget impact with an attractive purchase price and affordable running costs.
- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

Product walkaround

HP LaserJet MFP M443nda shown

- 1. ADF cover
- 2. ADF width guide
- 3. Scanner glass (A3)
- 4. 250 sheet output bin
- $5. \, \text{Automatic two-sided printing and copying} \\$
- 6. Front door (access to toner cartridges)
- 7. 250 sheet input tray 2
- 8. 100 sheet reversing ADF (input)
- 9. ADF output tray
- 10. 4-line LCD, 10-key pad, 4-button quick set
- 11. Side door (access to fuser and print path)
- 12. 100 sheet multipurpose tray 1
- 13. Hi-Speed USB 2.0 printing port
- 14. Built-in Ethernet 10/100Base-TX networking (all models)



Accessories, Supplies and Support

| Supplies | W1335A HP 335A Black Original Laser Jet Toner Cartridge (7,400 pages) |
|---------------------|--|
| | W1335X HP 335X High Yield Black Original LaserJet Toner Cartridge (13,700 pages) |
| Service and Support | U9JT4E HP 3 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M443 series U9JT5E HP 4 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M443 series U9JT6E HP 5 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M443 series U9JU3PE HP 1 year Post Warranty Next Business Day with Defective Media Retention service for HP LaserJet MFP M443 series |

Technical specifications

| Model | HP LaserJet MFP M443nda |
|---------------------------------|---|
| Product number | 8AF72A |
| Functions | Print, Copy, Scan |
| Control panel | 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, Orange 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), OK key, menu key (2EA), mode key (2EA), function key (4EA) |
| Print | |
| Print technology | Laser |
| Print speed | Black (A4, normal): Up to 25 ppm; Black (A4, duplex): Up to 13 ppm; |
| First page out | Black (A4, ready): As fast as 7.7 sec; Black (A4, sleep): As fast as 21.6 sec; |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; |
| Monthly duty cycle ¹ | Up to 50,000 pages per month A4; Recommended monthly page volume ² : 2,000 to 5,000 |
| Printer smart software features | 4 line LCD, 4 Quick-set button Copy |
| Standard print languages | PS, PCL 6 |
| Fonts and typefaces | 49 Scalable Fonts / 1 Bitmap |
| Print area | Print margins Top: 4.5 mm, Bottom: 4.5 mm, Left: 4.5 mm, Right: 4.5 mm; Maximum print area: 297 x 432 mm |
| Duplex printing | Automatic (standard) |
| Сору | |
| Copy speed | Black (A4): Up to 25 cpm |
| Copier specifications | 600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400%; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Collation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400% |
| Scan | |
| Scan speed | Normal (A4): Up to 33 ipm (black and white); Up to 33 ipm (colour); Duplex (A4): Up to 13 ipm (black and white); Up to 12 ipm (colour) |
| Scan file format | PDF, JPEG, TIFF |
| Scanner specifications | Scanner type Flatbed, ADF; Scan technology: Digital-CMOS Image Sensors (D-CIS); Twain version: Version 2.1; Duplex ADF scanning: Optional; Scan size maximum (flatbed, ADF): 297 × 432 mm; Optical scan resolution: Up to 600 dpi |
| Scanner advanced features | Scan to E-mail; Scan to FTP; Scan to SMB; Scan to PC |
| Scannable area | Maximum media size (flatbed): 297 x 432 mm |
| Bit depth/ Grey scale levels | 24-bit / 256 |
| Digital sending | Standard: Scan to E-mail; Send to FTP; Send to SMB; Local Address Book; SMTP over SSL/TLS |
| Processor speed | 600 MHz |
| Connectivity | |
| Standard | Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX |
| Wireless | No No |
| Supported network protocols | IP Management: DHCP, DHCPv6, B00TP, AutoIP, Static; Discovery Protocol: UPnP, mDNS, DNS, WINS; Printing Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPRv6, IPP, WSD; Management Protocol: SNMPv1.2, SNMPv1.2(IPv6), SNMPv3, SNMPv3(IPv6, HTTP); Scan Protocol: Twain for Network, SMTP, SMB, FTP; Security Protocol: IPSec |
| Network capabilities | Standard (build-in 10/100 Base TX Ethernet) |
| Memory | Standard: 512 MB |
| Media handling | |
| Number of paper trays | Standard: 2 ;Maximum: 2 |
| Media types | Plain, Mid-weight, Light, Coloured, Preprinted, Recycled, Intermediate, Prepunched |
| Media size | Custom (metric): Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm Supported (metric): A3; A4; A5; A6; B4 (JIS); B5 (JIS); 8K; 16K; Oficio 216x340mm |

| Model | HP LaserJet MFP M443nda |
|---|--|
| Product number | 8AF72A |
| Media handling | Standard input: Tray 1: 100 sheet; Tray 2: 250 sheet Standard output: Up to 250 Sheets |
| Media weight | Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² |
| Input capacity | Tray 1: Sheets: 100 Tray 2: Sheets: 250 Maximum: Up to 350 Sheets |
| Output capacity | Standard: Up to 250 Sheets Envelopes: Occasional use only Transparencies: No Maximum: Up to 250 Sheets |
| Compatible operating systems ³ | Windows 7 (32/64-bit); Windows 2008 Server R2; Windows 8 (32/64-bit); Windows 8.1 (32/64-bit); Windows 10 (32/64-bit); Windows 2012 Server; Windows 2016 Server; Red Hat Enterprise Linux: 5, 6, 7; Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26; openSUSE: 112, 11.4, 12.1, 12.1, 21.2, 12.3, 13.1, 13.2, 42.1; Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04; SUSE Linux Enterprise Desktop: 10, 11, 12; Debian: 6, 7, 8, 9; Linux Mint: 15, 16, 17, 18 |
| Compatible network operating systems | Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from http://www.hp.com; Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows 8 (32/64-bit) recommend v5.84; Windows V5.86+, 8.1 recommend v5.82+; Windows V6.82+; W6.82+; |
| Minimum system requirements | Windows: CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; For OS hardware requirements see http://www.microsoft.com for Windows; Pentium IV 2.4GHz (Intel Core™2); RAM 512 MB (1 GB); Free available hard disk space 1 GB (2 GB) for Linux |
| Software included | Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite |
| Security management | Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configurable login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Validation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP over SSL/TLS, IPSec, SNMPv3 |
| Printer management | HP Web Jetadmin |
| Dimensions and weight | |
| Printer dimensions (W x D x H) | Minimum 560 x 583 x 505 mm; Maximum: 960 x 1090 x 933 mm |
| Package dimensions (W x D x H) | 809 x 750 x 653 mm |
| Printer weight | 30 kg (includes supplies) |
| Package weight | 37.4 kg |
| Operating environment | Temperature: 10 to 30°C Humidity: 20 to 80% RH |
| Storage conditions | Temperature: -20 to 40°C |
| Acoustics | Acoustic power emissions: 6.6 B(A) (printing at 24 ppm) Acoustic pressure emissions: 51 dB(A) |
| Power ⁴ | Requirements: AC 220 - 240V: 50/60Hz, Normal Operation 550W; Ready 80W; Max/Peak 1.1 kWh; Sleep/Power Off 1W/0.2W; TEC 0.370 kWh/Week (22PPM: 0.310 kWh/Week; 23PPM: 0.330 kWh/Week; 24PPM: 0.350 kWh/Week; 25PPM: 0.370 kWh/Week); Consumption: 600 watts (active printing), 80 watts (ready) 0.7 watts (sleep), 0.2 watts (off); Typical Electricity Consumption (TEC): 1.100 kWh/Week; Power supply type: Built-in Universal Power supply; |
| Certifications | CISPR 32:2012/EN 55032:2012 Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU with CE Marking (Europe), other EMC approvals as required by individual countries. |
| Country of origin | Made in China |
| What's in the box ⁵ | HP LaserJet MFP M443nda printer; Power cord; Toner Cartridge; User Guide; USB Cable |
| Warranty | One-year, on-site limited warranty |

Footnotes

- ¹ Automatic two-sided printing is standard on HP LaserJet MFP "dn" and "nda" models.
- ² Reversing automatic document feeder is standard on HP LaserJet MFP "nda" models. Requires a separate purchase for "dn" models. Installation from HP Authorized service provider only.
- ³ Not all HP web Jetadmin features are supported. HP web Jetadmin is available for download at no additional charge at http://hp.com/go/webjetadmin.

Technical specifications disclaimers

- 1 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 2 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty negrind
- ³ Windows 7 or higher.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 230V device.
- 5 Ships with one HP Original Black LaserJet Introductory Toner cartridge (yield 4,000 pages) and one HP Original Imaging Drum (yield 80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies.











