



All-in-one wireless colour A4 ink tank printer

DCP-T426W



www.brother.eu

All-in-one wireless colour A4 ink tank printer

The DCP-T426W is a compact multifunction device, offering print, copy and scan functionality. As well as the fundamentals, it caters for wireless printing and offers cost-saving opportunities via the ink tank refill system.



DCP-T426W

Key Features:

- Simple to use ink tank refill system
- 1x Black, 1x Cyan, 1x Magenta and 1x Yellow ink bottles included
- Print Speeds of up to 16ipm (images per minute)
- Hi-Speed USB 2.0 and Wireless Network
- Paper Input of up to 150 Sheet
- LED display and cursor controls


Simple ink tank system to help you save money as you print

Printing up to 7500 pages*, Brother's quick and easy ink tank refill system helps you achieve high print volumes, while reducing your costs per page. The DCP-T426W comes with the full 4-colour line up in the box so you can start printing sooner, and for longer.

Doing what you need, when you need it

Not just a printer, the DCP-T426W offers many features that help make your life that little bit easier. With copy and scan functionality you can complete all the necessary tasks all in one place. Furthermore, with its sleek design you don't need to worry about it fitting in those tight office spaces.

Stay connected, away from your desk







General	Technology Inkjet Memory 64MB Control Panel LED with cursor controls	Local Interface Hi-Speed USB 2.0 Wireless Network IEEE 802.11b/g/n (Infrastructure) IEEE 802.11g/n (Wi-Fi Direct)	Mobile Print Print from your mobile devices to your Brother printer
Print	Print Speed (A4) ¹ 16.0ipm Mono & 9.0ipm Colour (ipm - images per minute) FPOT (First Print out Time) 6.5 Mono & 10.0 Colour (Seconds)	Quite Mode A mode to reduce the printing noise by reducing the print speed. Yes	Resolution ⁹ Up to 1200 x 6000dpi Windows [®] only (Mac: Up to 1200 x 3600dpi)
Printer Functions	N-up Printing ⁴ Reduce up to 2,4,9 or 16 A4 pages into just one A4 page Poster Printing ⁵ Yes (3x3) (RemoteCopy) Email Print ⁴ Print an Email Attachment	Watermark Printing ⁵ Watermark your documents with predefined text or with your own user-defined messages ID Printing ⁵ Add identification to your printed documents (date & time, short custom message or PC username)	Manual 2-Sided Print ⁵ Manual 2-sided printing (recommended for media not supported by automatic 2-sided print) Booklet Printing ⁵ Print documents in A5 booklet format using manual 2-sided print

Printer Driver

Windows® Windows 7 Windows 8 Windows 10 Windows Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019

Macintosh⁶ macOS v10.13.x, 10.14.x, 10.15.x

Linux⁶ Linux (rpm) (deb)

Print Profiles⁴

recall them

Store your favourite driver settings as profiles to easily

1. Print Speed ESAT (based on ISO/IEC 24734)

- 2. Quoted yield is based on Brother Original methodology, using industry standard test charts to calculate page yields.
- 3. Calculated with 80g/m² paper
- 4. Windows[®] & Mac[®] only
 5. Windows[®] only
- 6. Optional free download from the Brother Solutions Centre http://solutions.brother.com
- 7. Must be web connected
- 8. Resolution (Horizontal x Vertical)
- 9. Requires Brother software

10 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

11 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Paper Handling

Paper Input³ Standard Tray - 150 Sheets Manual Feed Slot - 1 Sheet

Paper Output³ 50 (80g/m²)

Media Type & Weights Standard Tray

Plain, Inkjet, Glossy (cast/resin) & 64-220g/m² (17-58 lb.)

Media Sizes Standard Tray

A4, LTR, EXE, A5, A6, Photo (102 x 152mm/4 x 6"), Indexcard (127 x 203mm/ 5 x 8"), Photo-2L (127 x 178mm/5 x 7"), C5 Envelope, Com-10, DL Envelope, Monarch

Media Sizes Manual Feed Slot

A4, LTR, EXE, A5, A6, Photo (102 x 152mm/4 x 6"), Indexcard (127 x 203mm/ 5 x 8"), Photo-2L (127 x 178mm/5 x 7"), C5 Envelope, Com-10, DL Envelope, Monarch Photo-L (89 x 127mm/3.5 x 5")

Media Types & Weight Manual Feed Slot

Plain, Inkjet, Glossy (cast/resin), Recycled 64-300g/m² (17-79 lb.) 260g/m² with Brother BP71 glossy paper only

Mobile and Web Connectivity

Brother iPrint&Scan for Mobile App Brother Mobile Connect App Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Android, iOS & Windows® Phone devices (Print & Scan only from Windows® Phone) Brother Print&Scan (Windows® 8,10 & RT) Print from and scan to a Windows® 8,10 or Windows RT Tablet

Mopria

Print most common file types from Mopria supported Android devices

Сору

Copy Speed (A4)¹¹

8.0ipm Mono & 3.0ipm Colour (ipm - image per minute)

FCOT (First Copy out Time) Mono / Colour¹¹

11.5 Mono & 27.0 Colour Seconds

Resolution (Mono)⁸

Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 1200dpi

Resolution (Colour)⁸ Print: Max. 1200 x 1800dpi

Scan: Max. 1200 x 600dpi

Enlargement / Reduction Ratio

Reduce or Increase document sizes from 25 to 400 in 1% increments (RemoteCopy)

N in 1 Copying

1 - 2in1/2in1(ID)/4in1 (Remote Copy) - Allows the user to compress 2 or 4 pages on to a single A4 sheet

1. Print Speed ESAT (based on ISO/IEC 24734)

- 2. Quoted yield is based on Brother Original methodology, using industry standard test charts to calculate page yields.
- 3. Calculated with $80g/m^2$ paper
- 4. Windows[®] & Mac[®] only
- 5. Windows® only
- 6. Optional free download from the Brother Solutions Centre http://solutions.brother.com
- 7. Must be web connected
- 8. Resolution (Horizontal x Vertical)
- 9. Requires Brother software

10 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

11 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks of their respective companies.

Scanner Type CIS (Contact Image Sensor)

Colour & Mono Scanning Yes

Scan Speed

Flatbed Glass: A4: 3.35s Mono & 4.38s Colour LTR: 3.15s Mono & 4.12s Colour

Interpolated Scan **Resolution**⁸ Up to 19,200 x 19,200dpi

Scan Resolution⁸ Flatbed Glass: 1200 x 2400 dpi

Colour Depth

30 bit color Processing (Input) 24 bit color Processing (Output)

Grey Scale

10bit color Processing (Input) 8bit color Processing (Output)

Scanner Functions

Scan to E-mail Scan directly into your e-mail application

Scan to OCR

Scan documents directly into your word processing application for instant editing Scan to Image Scan into your preffered image editing software

Scan to File Scan to a file on your computer

Scanner Drivers

Windows® TWAIN & WIA Windows® Windows[®] 10, Windows[®] 8 Windows® 7

Macintosh⁶

TWAIN macOS v10.13.x, 10.14.x, 10.15.x

1. Print Speed ESAT (based on ISO/IEC 24734)

- 2. Quoted yield is based on Brother Original methodology, using industry standard test charts to calculate page yields.
- 3. Calculated with 80g/m² paper
- 4. Windows[®] & Mac[®] only
 5. Windows[®] only
- 6. Optional free download from the Brother Solutions Centre http://solutions.brother.com
- 7. Must be web connected
- 8. Resolution (Horizontal x Vertical)
- 9. Requires Brother software

10 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements

11 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Fleet Management Tools Unattended Installer⁵ Ability to centrally deploy and customise our drivers and software

MSI Installer⁵ Modular installers that can be distributed through Active Directory® BRAdmin Light^{5&6} LAN/WAN management software

Driver Deployment Wizard^{5&6}

Easily create print drivers for hassle free deployment over your network

Software

Brother iPrint&Scan (Windows & Mac)⁶ Print from, scan to, preview copies and check the machine status from windows or macOS PC

Security and Network

Wireless Network

(Infrastructure Mode)

IEEE 802.11g/n (Wi-Fi Direct)

Wireless Network Security

SSL/TLS (IPPS, HTTPS), SSID (32 chr), WEP 64/128bit, WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES)

Wi-Fi Direct[™]

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

Wireless Setup Support

Wi-Fi Protected Setup (WPS)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution,DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNTP Client)

IPv6

NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LPD,Custom Raw Port/ Port9100, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNTP Client, ICMPv6)

Supplies and Accessories

Inbox Ink Bottles 1 × BTD60BK 1 × BT5000C 1 × BT5000Y 1 × BT5000M

Ink Bottle Yield¹ BTD60BK 7,500 pages BT5000C/Y/M 5,000 pages

1. Print Speed ESAT (based on ISO/IEC 24734)

- 2. Quoted yield is based on Brother Original methodology, using industry standard test charts to calculate page yields.
- 3. Calculated with 80g/m² paper
- 4. Windows[®] & Mac[®] only
- 5. Windows® only
- 6. Optional free download from the Brother Solutions Centre http://solutions.brother.com
- 7. Must be web connected
- 8. Resolution (Horizontal x Vertical)
- 9. Requires Brother software
- 10 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements
- 11 ESAT (based on ISO/IEC 24735). This spec is for ADF models only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks of their respective companies. Dimensions and Weights **Without Carton (WxDxH)** 435 x 359 x 159mm - 6.4Kg **With Carton (WxDxH)** 506 x 219 x 469 - 7.6kg

Duty Cycle

Recommended Monthly 50 to 1,000 pages per month Maximum Monthly⁹ Up to 2,500 pages per month

Environment

Power Consumption Operating - 11W Ready Mode - 2.5W Sleep Mode - 0.7W Off - 0.2W **Sound Pressure** Operating - 53.5dB(A)



- 1. Print Speed ESAT (based on ISO/IEC 24734)
- 2. Quoted yield is based on Brother Original methodology, using industry standard test charts to calculate page yields.
- 3. Calculated with 80g/m² paper
- 4. Windows® & Mac® only
- 5. Windows® only
- 6. Optional free download from the Brother Solutions Centre http://solutions.brother.com
- 7. Must be web connected
- 8. Resolution (Horizontal x Vertical)
- 9. Requires Brother software
- 10 Maximum number of printed pages per month can be used to compare designed durability between like
- Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements
- 11 ESAT (based on ISO/IEC 24735). This spec is for ADF models only



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. **www.brotherearth.com**

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

